



CELETTE®

WELDING & CUTTING EQUIPMENTS

SMART REPAIR CONCEPTS – 2020

CONTENTS

AUTO MIG	▶ 6
INVERTER COMBI 200	▶ 7
TRIO DIGITAL	▶ 8
PLASMA CUT 40NH	▶ 9
INDUCTION HEATER	▶ 10
RAPID SPOT MINI ENTRÉE	▶ 11
RAPID SPOT MINI COMPLETE	▶ 12
EASY DENT 3000 ENTRÉE	▶ 13
EASY DENT 3000 PLUS	▶ 14
EASY DENT 3000 COMPLETE	▶ 15
DUO SPOT STEEL & ALU 2-IN-1 – ENTRÉE	▶ 16
DUO SPOT STEEL & ALU 2-IN-1 – PLUS	▶ 17
DUO SPOT STEEL & ALU 2-IN-1 – COMPLETE	▶ 18, 19
ACCESSORIES & CONSUMABLES	▶ 20, 21

New range of **AUTO BODY REPAIR EQUIPMENT**

BIG SALE!

**SPECIAL INTRODUCTORY OFFERS &
COMBO OFFERS**

T & C Apply



AUTO MIG

REF NO: CEL.13212-J-02

SUITABLE FOR AUTO BODY REPAIR WORKSHOP,
170A WELDING CURRENT MIG WELDER

- Provides high working efficiency & quality production on thin plate in the field of auto body repair.
- Has good ignition & penetration.
- Excellent welding performance on varied sheet thickness, to avoid burn through.



DUTY CYCLE: 170A 25% 110A 60% 85A 100%
POWER: 6KVA



OPTIONAL

INVERTER COMBI 200

REF NO: CEL.17882-D-02

SUITABLE FOR AUTO BODY REPAIR WORKSHOP,
200A WELDING CURRENT INVERTER MIG WELDER


- Dual torch for steel & aluminum car body repair.
- Specially made spool gun for aluminum: High cost-performance ratio. ABICOR BINZEL 15AK gun.
- Dedicated welding gun support: Easy take out & Easy put in.
- High efficiency inverter power source, quick ignition, less spatter, good for car body repair.



DUTY CYCLE: 200A 60% 155A 100%
POWER: 8KVA



OPTIONAL



TRIO DIGITAL

REF NO: CEL.1321-521-6

SUITABLE FOR AUTO BODY REPAIR WORKSHOP,
EXTRA HEAVY DUTY MIG WELDER.

- ▶ Tri torch for steel & aluminum car body repair.
- ▶ Specially designed for brazing, aluminum, mild steel auto body repair work.
- ▶ Specially made spool gun for aluminum: High cost-performance ratio. ABICOR BINZEL 15AK gun.
- ▶ Dedicated welding gun support: Easy to access and store welding torches.



DUTY CYCLE: 200A 20% 90A 100%

POWER: 7KVA



PLASMA CUT 40NH

REF NO: CEL.1721-B2-03

WITH PILOT ARC NO HF - STARTING VOLTAGE,
LIGHT WEIGHT.



40A CURRENT OFFERS PERFECT CUT - FE, AL, CU.

- ▶ Inverter technology guarantee precision cutting.
- ▶ Air cooled torch body for better arc stability.
- ▶ 5m torch with quick connector.
- ▶ High efficiency inverter power source, quick ignition, suitable for car body repair.



DUTY CYCLE: 40A 60% 30A 100%

POWER: 6KVA



INPUT AIR/N2: 4.4 - 5.0 bar
PROTECTION: IP 21

INDUCTION HEATER

THE CELETTE INDUCTION HEATER WITH A WEIGHT OF ONLY 4.4KG WITH HIGH FREQUENCY.


PATENTED MULTI-FUNCTIONAL TORCH WITH ISOLATION TRANSFORMER.

- It offers power upto 3000 watt.
- Output current is isolated to input current.
- No over current problem, patented heating torch can be used for glass/stickers/screw/nut/dent repair.
- Light weight, easy to carry, better efficiency.

REF NO: CEL.17203-A3-02



DUTY CYCLE: 15%
MAX POWER: 2KVA



HIGH FREQ: 100kHz

APPLICATION:



RAPID SPOT MINI **ENTRÉE**

RAPID SPOT MINI (ULTRA SPOT NANO)

Earth cable and torch direct transformer connection for maximum performance.
ZERO Overheating, Rusting, Burning in the sheet metal.
Exclusively designed for thin sheet.

REF NO: CEL.11245-C-02

TECHNICAL SPEC	RAPID SPOT MINI
MAX WELDING CURRENT:	5000A
DUTY CYCLE:	8~15 SPOTS @ 100%
VOLTAGE/PHASE:	110V /220V 1PH 60/50HZ
MAX INPUT CURRENT:	3A 6A
WEIGHT:	9.5 KG



380 X 110 X 215(H)MM
580 X 220 X 240(H)MM

REF NO: CEL.ET19-11245-1



OPTIONAL



STAR WASHER



H PULLER WITH M5 TIP



ELECTRODE FOR WASHER



HOOK PULLER SLIDE HAMMER



SMALL TRIANGLE WASHER



RAPID SPOT MINI COMPLETE

RAPID SPOT MINI (ULTRA SPOT NANO)

Earth cable and torch direct transformer connection for maximum performance.

ZERO Overheating, Rusting, Burning in the sheet metal.

Exclusively designed for thin sheet.

REF NO: CEL.11245-C-02

380 X 110 X 215(H)MM

580 X 220 X 240(H)MM



REF NO: CEL.ET19-11245-2

RAPID SPOT MINI COMPLETE SET



SLIDE HAMMER - 1



TRIANGLE HOLDER - 1



BIG TRIANGLE WASHER - 20



M5 TIP - 10



COMPONENT BOX - 1



ELECTRODE FOR TAB - 1



TAB STRAIGHT - 10



SMALL TRIANGLE WASHER - 50



STAR WASHER - 50



ELECTRODE FOR WASHER - 1



HOOK PULLER SLIDE HAMMER - 1



H PULLER WITH M5 TIP - 1

EASY DENT 3000 ENTRÉE

EASY DENT 3000

Dual welding mode: AUTO & MANUAL.

In-built intelligence system to adjust welding parameters automatically.

Improved welding performance, less heat dissipation with more powerful pulling operation.

REF NO: CEL.1118F-C-02

TECHNICAL SPEC	EASY DENT 3000
MAX WELDING CURRENT:	3000A
VOLTAGE/PHASE:	220V 1PH 60/50HZ
WEIGHT:	22KG
POWER:	12KVA



335 X 220 X 310(H)MM

480 X 300 X 310(H)MM



REF NO: CEL.ET-1118F-1



TRIANGLE HOLDER - 1



BIG TRIANGLE WASHER - 20



CARBON ROD - 2



ELECTRODE FOR TAB - 1



M5 TIP - 10



TAB STRAIGHT - 10



OPTIONAL



STAR WASHER



H PULLER WITH M5 TIP



ELECTRODE FOR WASHER



HOOK PULLER SLIDE HAMMER



SMALL TRIANGLE WASHER


EASY DENT 3000 PLUS

EASY DENT 3000

Dual welding mode: AUTO & MANUAL.
In-built intelligence system to adjust welding parameters automatically.
Improved welding performance, less heat dissipation with more powerful pulling operation.

REF NO: CEL.1118F-C-02

- SLIDE HAMMER - 1
- SLIDE HAMMER WITH - 1
6 HOOKS CLAW
- PULLING ROD - 1 SET
- H PULLER WITH M5 TIP - 1



REF NO: CEL.ET-1118F-4



TRIANGLE HOLDER - 1

BIG TRIANGLE WASHER - 20

CARBON ROD - 2

ELECTRODE FOR TAB - 1

M5 TIP - 10

TAB STRAIGHT - 50
TAB TWIST - 50



SLIDE 600 PULLER WITH SINGLE FOOT WITH 4 HOOKS CLAW



EASY PULLER



THE SINGLE HOOK FOR SLIDE SNAP PULL



380 X 220 X 282(H)MM
480 X 300 X 310(H)MM



TAB SHOOTER WITH 20 PCS TAB



SLIDE LEVER 600 WITH HOOK



EASY DENT 3000 COMPLETE

EASY DENT 3000

Dual welding mode: AUTO & MANUAL.
In-built intelligence system to adjust welding parameters automatically.
Improved welding performance, less heat dissipation with more powerful pulling operation.

REF NO: CEL.1118F-C-02



380 X 220 X 282(H)MM
480 X 300 X 310(H)MM

REF NO: CEL.ET-1118F-5

SLIDE HAMMER - 1

TRIANGLE HOLDER - 1

BIG TRIANGLE WASHER - 20

CARBON ROD - 2

M5 TIP - 10

COMPONENT BOX - 1

TAB STRAIGHT - 50
TAB TWIST - 50

ELECTRODE FOR TAB - 1

PULLING ROD - 1 SET

SLIDE HAMMER WITH 6 HOOKS CLAW - 1

SLIDE SNAP 300 WITH 4 HOOKS CLAW - 1

SLIDE 600 PULLER WITH SINGLE FOOT WITH 4 HOOKS CLAW - 1

SLIDE 1000 PULLER WITH DOUBLE FEET WITH 4 HOOKS CLAW - 1

EASY PULLER - 1

TAB SHOOTER WITH 20 PCS TAB - 1

SINGLE HOOK FOR SLIDE SNAP PULL - 1

SLIDE LEVER 600 WITH HOOK - 1

H PULLER WITH M5 TIP - 1



DUO SPOT STEEL & ALU – 2-IN-1 **ENTRÉE**

DUO SPOT

with spot torch/earth + CD STUD TORCH/earth,
Input current 1PH/220V

REF NO: CEL.11244-G-01

TECHNICAL SPEC	DUO SPOT
MAX WELDING CURRENT:	8000A
DUTY CYCLE:	10 M4 AL STUDS/MIN @ 80%
VOLTAGE/PHASE:	220V 1PH 60/50HZ
MAX INPUT CURRENT:	8A
WEIGHT:	23KG

430 X 220 X 310(H)MM

550 X 430 X 470(H)MM

REF NO: CEL.ET19-11244-2



TRIANGLE HOLDER - 1



BIG TRIANGLE WASHER - 20



CARBON ROD - 2



M5 TIP - 10



ELECTRODE FOR TAB - 1



TAB STRAIGHT - 10



STUD SCREW - ALU
M6*15 AL-MG-SI
STUD SCREW - ALU
M6*15 AL-MG



360° M6 PULLER - 10



OPTIONAL



H PULLER WITH
M5 TIP



SMALL TRIANGLE
WASHER



ELECTRODE



STAR WASHER



HOOK PULLER
SLIDE HAMMER



SLIDE SNAP 300
WITH 4 HOOKS CLAW



STUD SCREW
M4*15
AL-MG-SI



STUD SCREW
M4*15
AL-MG



360° M4 PULLER




DUO SPOT STEEL & ALU – 2-IN-1 **PLUS**

DUO SPOT

with spot torch/earth + CD STUD TORCH/earth,
Input current 1PH/220V

REF NO: CEL.11244-G-01



EASY PULLER - 1

SLIDE LEVER 600
WITH HOOK - 1

SLIDE HAMMER - 1

SINGLE HOOK FOR
SLIDE SNAP PULL - 1

PULLING ROD - 1 SET

SLIDE HAMMER WITH
6 HOOKS CLAW - 1

ALU HAMMER SET - 1

SLIDE SNAP 300 WITH
SINGLE FOOT - 1

REF NO: CEL.ET19-11244-3



TRIANGLE HOLDER - 1



BIG TRIANGLE WASHER - 20



CARBON ROD - 2



M5 TIP - 10



TAB STRAIGHT - 50
TAB TWIST - 50



ELECTRODE
FOR TAB - 1



STUD SCREW - ALU
M6*15 AL-MG-SI - 50
STUD SCREW - ALU
M6*15 AL-MG - 25



360° M6 PULLER - 10



OPTIONAL

SLIDE 1000 PULLER
WITH DOUBLE FEET
WITH 4 HOOKS CLAW




SLIDE 600 PULLER
WITH SINGLE FOOT
WITH 4 HOOKS CLAW



TAB SHOOTER WITH
20 PCS TAB



STUD SCREW
M4*15 AL-MG-SI



STUD SCREW
M4*15 AL-MG



360° M4 PULLER



430 X 220 X 310(H)MM

550 X 430 X 470(H)MM



DUO SPOT STEEL & ALU – 2-IN-1 COMPLETE

DUO SPOT STEEL & ALU – 2-IN-1 COMPLETE

DUO SPOT

with spot torch/earth + CD STUD TORCH/earth,
Input current 1PH/220V

REF NO: CEL.11244-G-01



SMART REPAIR
STATION



430 X 220 X 310(H)MM




550 X 430 X 470(H)MM

REF NO: CEL.ET19-11244-4

 SLIDE HAMMER - 1	 TRIANGLE HOLDER - 1	 BIG TRIANGLE WASHER - 20	 CARBON ROD - 2
 M5 TIP - 10	 COMPONENT BOX - 1	 ELECTRODE FOR TAB - 1	 TAB STRAIGHT - 50
 TAB TWIST - 50	 PULLING ROD - 1 SET	 SLIDE HAMMER WITH 6 HOOKS CLAW - 1	 SLIDE SNAP 300 WITH SINGLE FOOT - 1
 SLIDE 600 PULLER WITH SINGLE FOOT - 1	 SLIDE 1000 PULLER WITH DOUBLE FEET WITH 4 HOOKS CLAW - 1	 TAB SHOOTER WITH 20 PCS TAB	 SINGLE HOOK FOR SLIDE SNAP PULL
 SLIDE LEVER 600 WITH HOOK	 EASY PULLER - 1	 STUD SCREW - ALU M6*15 AL-MG-SI - 50	 STUD SCREW - ALU M6*15 AL-MG - 25
 STUD SCREW - ALU M4*15 AL-MG-SI - 50	 STUD SCREW - ALU M4*15 AL-MG - 25	 360° M6 PULLER - 10	 360° M4 PULLER - 10

ACCESSORIES & CONSUMABLES

 QM064011-4C	 QM064001	 QM061023	 SR055000
 EJ081000-2B	 EG055050	 EJ092045	 EJ092050
 EH107520-1	 QM056000	 QM061170-2B	 ET-QM061150-3
 QM061611-B		 QM061127-2B	
 QT074000-A2	 QM064155	 QM061550-B	 QM071330-1
 QM071336-1	 QM071324	 QM071335	 QM061104


ACCESSORIES & CONSUMABLES

 QM061105	 QM071225-2B	 COMPONENT BOX REF NO: SE090200
 QM055001-A	 QM061320-1	
 EJ055000-E	 EJ061000	


ALU HAMMER SET - 1
ET-GA181218-2B

SMART RHONE

◀ CAMELEON



CELETTE FRANCE S.A.S

3, AVENUE MARCELLIN BERTHELOT 38200
VIENNE – FRANCE

 +33 474 575 959

 info@celette.com

 www.celette.com



DISTRIBUTED BY